


# + Carbide Plus + BUZZSAWIC2


## Drilling Specifications

### Pin Position


The Buzzsaw's 12:00 pin, relative to the CG, makes this ball driller friendly for right & left-hand bowlers.




Turning the pin towards 3 O'clock, relative to the CG, will increase length.



Turning the pin towards 9 O'clock, relative to the CG, will decrease length.



Pin and CG distance from axis



### Drilling Recommendations

|   |   |   |   |
|---|---|---|---|
| <p><b>Label</b></p> <p>Flare 8      Back-end 9</p>        | <p><b>Pin Near Track</b></p> <p>Flare 2      Back-end 5</p> | <p><b>Stacked</b></p> <p>Flare 8      Back-end 8</p>      | <p><b>CG Leverage</b></p> <p>Flare 6      Back-end 7</p>  |
| <p><b>Pin In Label</b></p> <p>Flare 7      Back-end 8</p> | <p><b>Axis Leverage</b></p> <p>Flare 9      Back-end 6</p>  | <p><b>1/2 Leverage</b></p> <p>Flare 7      Back-end 7</p> | <p><b>Notes</b></p> <ol style="list-style-type: none"> <li>1. Pos. side, finger, &amp; top wt., increase length and back-end.</li> <li>2. Neg. side, thumb, &amp; bottom, decrease length and back-end.</li> <li>3. Axis holes decrease flare and back-end reaction.</li> <li>4. Pin-in balls decrease length.</li> <li>5. Pin-out balls increase length and flip.</li> <li>6. If the ending center of gravity is on your pin, starting CG, or on the same rotational plane as those, ball reaction is enhanced.</li> </ol> |